



Realstone System's thin stone veneers offer the beauty and durability of real stone without the installation hassles and weight of full-sized stones. Measuring only 0.5" - 2.0" deep, our natural stone panels are lightweight and suitable for use on most interior and exterior walls. Made of reclaimed and recycled stone, our panels are a sustainable, environmentally friendly alternative to faux and manufactured stone.

Each thin stone veneer panel is composed of a number of individual natural stones that have been adhered together. These modular panels fit seamlessly together and allow installers to cover a large surface area in a short amount of time with little waste.



LATTE HONED (Travertine),
 Panel: 6" x 24" | 1 sq.ft.
 Thickness: 0.5"-1.00"
 Weight: 7-11 lbs.
 Panels per carton: 6



LATTE LEDGESTONE (Travertine),
 Panel: 6" x 24" | 1 sq.ft.
 Thickness: 0.5"-1.00"
 Weight: 7-11 lbs.
 Panels per carton: 6



ROMAN BEIGE HONED
 (Limestone),
 Panel: 6" x 24" | 1 sq.ft.
 Thickness: 0.5"-1.00"
 Weight: 7-11 lbs.
 Panels per carton: 6



WHITE BIRCH HONED (Limestone),
 Panel: 6" x 24" | 1 sq.ft.
 Thickness: 0.5"-1.00"
 Weight: 7-11 lbs.
 Panels per carton: 6



WHITE BIRCH LEDGESTONE
 (Limestone)
 Panel: 6" x 24" | 1 sq.ft.
 Thickness: 0.6"-1.00"
 Weight: 8-9 lbs.
 Panels per carton: 6



MOCHA HONED (Sandstone),
 Panel: 6" x 24" | 1 sq.ft.
 Thickness: 0.5"-1.00"
 Weight: 7-11 lbs.
 Panels per carton: 6



MOCHA LEDGESTONE
 (Sandstone),
 Panel: 6" x 24" | 1 sq.ft.
 Thickness: 0.6"-1.00"
 Weight: 11lbs.
 Panels per carton: 6



NERO HONED (Granite),
 Panels: 6" x 24" | 1 sq.ft.
 Thickness: 0.4"-0.8"
 Weight: 8.6 lbs.
 Panels per carton: 6



NERO LEDGESTONE (Granite),
 Panels: 6" x 24" | 1 sq.ft.
 Thickness: 0.6"-1.00"
 Weight: 11.5 lbs.
 Panels per carton: 6



SILVER ALABASTER (Quartzite),
Size: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6



ARCTIC WHITE (Quartzite),
Size: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6



BLUESTONE (Slate)
Size: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6



CHARCOL (Slate*)
Size: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6
* Moisture may cause this product to rust and effloresce



CHISELED SEA SHELL (Quartzite),
Size: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6



COPPER (Quartzite),
Size: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6



CYAN GREEN (Quartzite),
Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6




MIDNIGHT SKY (Quartzite),
Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6



SIERRA (Quartzite),
Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6

Tango Tile



TERRACOTTA (Quartzite)
Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.5"-1.5"
Weight: 10 lbs. / Panels per carton: 6



EMERALD (Quartzite),
Limited Quantities

REALSTONE SYSTEMS THIN PANELS



THIN SILVER ALABASTER SHADOWSTONE (Quartzite),
Panel: 6" x 24" | 1 sq.ft.
Thickness: 1"-1.5"
Weight: 11 lbs. / Panels per carton: 6



THIN ARCTIC WHITE ANGLED (Quartzite),
Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.8"-1.0"
Weight: 11 lbs. / Panels per carton: 6



THIN BLUSH SAND SHADOWSTONE (Sandstone),
Limited Quantities



THIN BURGUNDY SHADOWSTONE (Sandstone),
Limited Quantities



THIN CHARCOAL SHADOWSTONE (Slate*),
Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.8"-1.0"
Weight: 11 lbs. / Panels per carton: 6
* Moisture may cause this product to rust and effloresce.



THIN COPPER SHADOWSTONE (Quartzite)
Limited Quantities



THIN MIDNIGHT SKY SHADOWSTONE (Quartzite),
Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.8"-1.0"
Weight: 11 lbs. / Panels per carton: 6



THIN MOUNTAIN RUST LEDGESTONE (Quartzite)

Limited Quantities



THIN SIERRA SHADOWSTONE (Quartzite)



THIN TERRACOTTA LEDGESTONE

Limited Quantities



THIN TERRACOTTA SHADOWSTONE (Slate),

Panel: 6" x 24" | 1 sq.ft.
Thickness: 0.8"-1.0"
Weight: 11 lbs. / Panels per carton: 5

	REALSTONE SYSTEMS* NATURAL STONE VENEER PANELS	OTHER NATURAL STONE VENEER
SIZE	MADE TO COMMON INDUSTRY SPECIFICATIONS.	Inconsistent panel sizing.
SIZE TOLERANCE	+/- 2MM LENGTH AND WIDTH Each stone is selected and cut to our specifications.	Significant sizing issues, leading to longer installation times, poorly fitting panels, gaps in installation and poor looking finished product.
WEIGHT TOLERANCE	+/-1 LB WEIGHT TOLERANCE.	Significant weight variances, structural support issues need to be addressed.
STRUCTURAL INTEGRITY	SOLID LITTLE - NO SHALING CONSISTENT.	Excessive flaking (shaling).
COLOR	Each stone is hand picked to match our stringent color consistency standards.	Inconsistent, widely varying color range.
CONSTRUCTION 1	STRAIGHT EDGES prevent gaps between panels and seam lines during installation.	Sloppy appearance once installed.
CONSTRUCTION 2	NO SLOPPY EPOXY is visible on the face of any of our panels. APS in epoxy.	Gaps in epoxy and epoxy visible on panel face, leading to extra work and compromised product integrity.
PACKAGING	CONSISTENT, DURABLE with minimal breakage and shifting.	Poor quality unattractive packaging, HIGH BREAKAGE.
INTEGRITY	SOLID BRAND NAME US based company which stands behind it's product.	Unknown manufacturer and origin of product, no company or brand to stand behind product.
COMMUNICATION	EASY DIRECT CONTACT with corporate office and regional representatives.	Limited NATIVE ENGLISH COMMUNICATION.
QUALITY	Each piece inspected during 26 STEP QUALITY CONTROL, ASTM TESTING.	No quality assurance.
MAINTENANCE	SIMPLE Soap and water cleaning. Sealing is optional.	Removal of shale, sealing to cut down on excessive shaling or crumbling.
PRICE TO INSTALL	LOW.	High due to stone breakage and quality issues.
TESTING	ASTM TESTED.	None/limited.
DIY ASSISTANCE	CUSTOMER SUPPORT, LIVE CHAT ON WEBSITE, DIY NETWORK SHOWS.	Unknown
COMMUNICATION	LIVE CHAT ON WEBSITE HOZZ, FACEBOOK, TWITTER, LINKEDIN, YOUTUBE.	Limited
TOOLS	VISUALIZER, PRODUCT CALCULATOR.	None
GREEN	RECYCLED CONTENT, VOC FREE, LEED COMPLIANT.	Little or no information.
PRODUCT RANGE	LARGEST PRODUCT LINE IN TH E INDUSTRY Complementing products include panels, end pieces, corners, mats, hearths, sills, wall caps, risers.	Limited / none.
PRODUCT AVAILABILITY	NORTH AMERICAN warehousing facilities.	Unknown.

Tango Tile

Realstone systems is green by design.

Realstone uses reclaimed stone.

Realstone minimizes the amount of natural resources used.

Realstone is a natural stone product.

Realstone uses VoC free and Iso 9001compliant adhesive.

Green AWARDS



LEED™ CERTIFICATION CREDIT		
Recycled Content (MR)		
4.1	1 point*	Realstone Systems Panels contain pre-consumer recycled content.
4.2	1 point*	
Construction Waste Management (MR)		
2.1	1 point*	Realstone Systems panels are relatively small and extremely durable, making them easy to divert from the waste stream and implement into a construction waste management plan required to gain these LEED points
2.2	1 point*	
Air Quality (EQ)		
4.1	1 point*	Low emitting materials. Realstone Systems uses VOC free adhesive and natural stone – contributing to a cleaner environment free of air contaminants harmful to both installers and facility occupants.
4.2	1 point*	
Innovation in Design (ID)		
1.1	1 point*	Realstone Systems panels can help provide the opportunity for projects to be awarded points for exceptional performance above the requirements set by the LEED for New Construction Green Building Rating System and/or innovative performance.

*Possible point toward attaining LEED credits.

CONTACT

For additional information please visit realstonesystems.com or contact Grazyna Cumming, 248-614-6631, gcumming@realstonesystems.com